



WonderPack™ WP36 Series

Thermoplastic Battery Unit

MR16 quartz halogen lamps with adjustable heads

The **WonderPack™ WP36 Series** is the perfect battery unit for use where style and design is required in an economical package.

Features

- Injection-molded thermoplastic housing
- Innovative, snap together design allows for fast installation
- Replaceable lead-calcium (6V 4.5AH) battery
- Universal 120/347 AC input
- Two adjustable glare free light heads
- Uses halogen MR16 lamps with front glass cover
- CSA C22.2 No. 141 certified
- Test switch and charge rate indicators
- Standard model comes with two 5.4 watts MR16 heads
- Emergency mode: min. 90 minutes





Project/Location:

Date:

Contractor:

Prepared by:

WonderPack™ WP36 Series



Typical Specification

The Contractor will install the Emergi-lite **WonderPack™ WP36 Series** battery unit. The emergency lighting system shall consist of fully automatic equipment with 2 MR16 glare free halogen heads. Each unit shall contain a fully automatic, solid state charger with test switch and AC on pilot lights.


The unit shall contain a sealed transfer circuit and low voltage disconnect circuit. The battery shall be 6 volts with a capacity of 29 watts for 30 minutes. The unit shall be CSA C22.2 no 141.

The unit shall be Emergi-lite Model - _____.

Power Consumption

Model	AC Specs		DC Specs	
WP36/2M	120/347Vac	Less than 6W	2 x 5.4W	Min. 90 minutes
WP36/2M10	120/347Vac	Less than 6W	2 x 10W	Min. 30 minutes

Dimensions



Ordering Information

Series	Unit Capacity	A.C. Voltage	# of Lamps/Type	Options
WP	36= 6V, 36 watts	Blank= 120/347Vac	/2M= two 5.4 watts MR16 lamps (standard)	Blank= no options 10= two 10 watts MR16 lamps

EXAMPLE: WP36/2M10